

Enclosure

Parts Manufacturer Approval Listing

Supplement No. 20 to Parts Manufacturer Approval Letter

Dated March 23, 1987

Federal Aviation Administration

Causey Aviation

Causey Aviation


<u>FAA Approved Design Data</u>	<u>Approved Replacement For</u>	<u>FAA Design Approval Means</u>	<u>Installation Eligibility</u>
Bushing, P/N CA20737-044, Dwg. CA20737-044, no rev., dated 3/1/93, or Later FAA Approval	Piper P/N 20737-044	Test and Computations; FAR 21.303(c)(4)	Piper PA31-300/310/325/350, PA31-350 T1020
Bushing, P/N CA41413-038, Dwg. CA41413-038, no rev., dated 3/1/93, or Later FAA Approval	Piper P/N 41413-038	Test and Computations; FAR 21.303(c)(4)	Piper PA24-260, S/N 24-4247, 24-4300 and up, PA25-150/235 S/N 25-1 thru 25-4171, PA23-235/250, S/N 27-1 thru 27-3836, 27-3838 thru 27-3943, PA23-250 (six place), S/N 27-3837, 27-3944 thru 27-7554168, 27-7654001 and up, PA30 S/N 30-853, 30-902 and up, PA39, S/N 39-1 and up, PA31-300/310/325, S/N 31-5 thru 31-7612110, 31-7712001, and up, PA31-350, PA31P, PA31P-350, PA31-350, T1020, PA31T/T1/T2, PA42, PA42-720/1000

FAA Approved Design Data	Approved Replacement For	FAA Design Approval Means	Installation Eligibility
Bushing, P/N 95061-133, Dwg. CA95061-133, no rev., dated 3/1/93, for Later FAA Approval	Piper P/N 95061-133	Test and Computations; FAR 21.303(c)(4)	Piper PA32R-300, PA32RT series, PA32R-301/-301T
Bushing, P/N A43256-005, Dwg. CA43256-005, no rev., dated 3/1/93, for Later FAA Approval	Piper P/N 43256-005	Test and Computations; FAR 21.303(c)(4)	Piper PA31-300/310/325/350, PA31P, PA31P-350, PA31-350 T1020, PA31T/T1/T2
Bushing, P/N A63310-000, Dwg. CA63310-000, no rev., dated 3/1/93, for Later FAA Approval	Piper P/N 63310-000	Test and Computations; FAR 21.303(c)(4)	Piper PA28-140/150/160/180/235, PA28-151/161/181/201T/236, PA32-260/300/301/301T
Bushing, P/N A63900-109, Dwg. CA63900-109, no rev., dated 3/1/93, for Later FAA Approval	Piper P/N 63900-109	Test and Computations; FAR 21.303(c)(4)	Piper PA28R-200/201/180, PA28RT-201, PA32RT, PA32R-300/301 301T
Bushing, P/N A63900-122, Dwg. CA63900-122, no rev., dated 3/1/93, for Later FAA Approval	Piper P/N 63900-122	Test and Computations; FAR 21.303(c)(4)	Piper PA28R-180/200/201, PA28RT-201, PA32R-300/301/301T, PA32RT
Bushing, P/N CA65003-041, Dwg. CA65003-041, no rev., dated 3/1/93, for Later FAA Approval	Piper P/N 65003-041	Test and Computations; FAR 21.303(c)(4)	Piper PA28RT-201/201T, PA32R-301/301T, PA34-200/200T, PA44-180

FAA Approved Design Data	Approved Replacement For	FAA Design Approval Means	Installation Eligibility
Bushings, P/N CA20737-023, Dwg. CA20737-023, no rev., dated 3/1/93, or Later FAA Approval	Piper P/N 20737-023	Test and Computations; FAR 21.303(c)(4)	Piper PA31-300/310/325/350, PA31P, PA31P-350, PA31-350, T1020, PA31T/T1/T2
Bushings, P/N CA14976-102, Dwg. CA14976-102, no rev., dated 3/1/93, or Later FAA Approval	Piper P/N 14976-02	Test and Computations; FAR 21.303(c)(4)	Piper PA30, PA39, PA31-300/310/325 S/N 31-5 thru 31-7812120, PA31-350 S/N 31-5001 and up, PA31-350, T1020
Bushings, P/N CA20737-032, Dwg. CA20737-032, no rev., dated 3/1/93, or Later FAA Approval	Piper P/N 20737-032	Test and Computations; FAR 21.303(c)(4)	Piper PA31-300/310/325/350, PA31P, PA31P-350, PA31T/T1/T2, PA42, PA42-720/1000
Bushings, P/N CA65003-045, Dwg. CA65003-045, no rev., dated 3/7/93, or Later FAA Approval	Piper P/N 65003-045	Test and Computations; FAR 21.303(c)(4)	Piper PA28R-180/200/201/201T, PA28RT-201/201T, PA32R-300/301/301T, PA44-180
Bushings, P/N CA65003-046, Dwg. CA65003-046, no rev., dated 3/1/93, or Later FAA Approval	Piper P/N 65003-046	Test and Computations; FAR 21.303(c)(4)	Piper PA28R-180 S/N 28R-30005 thru 28R-7130019, PA28R-200 S/N 28R-30482, 28R-35001 thru 28R-7635489
Bushings, P/N CA43256-006, Dwg. CA43256-006, no rev., dated 3/7/93, or Later FAA Approval	Piper P/N 43256-006	Test and Computations; FAR 21.303(c)(4)	Piper PA23-235/250/250 (six place), PA31-300/310/325/350, PA31P, PA31P-350, PA31P-350 T1020, PA31T/T1/T2, PA42, PA42-720/1000

FAA Approved Design Data	Approved Replacement For	FAA Design Approval Means	Installation Eligibility
Bushing, P/N CA87332-002, Dwg. CA87332-002, no rev., dated 3/3/93, or Later FAA Approval	Piper P/N 87332-002	Test and Computations; FAR 21.303(c) (4)	Piper PA28-140 S/N 28-20002 thru 28-26956, 28-7125001 and up, PA28-150/160/180, S/N 28-1 thru 28-5869, 28-7105001 and up, PA28R-180, S/N 28R-30005 thru 28R-30481, 28R-30483 thru 28R-31276, 28R-713001 and up, PA28R-200, S/N 28R-30482, 28R-35001 thru 28R-35830, 28R-7135001 and up, PA28-235, S/N 28-10003 thru 28-11393, 28-7110001 and up, PA28-151/161/181/236, PA32-260/300/301/301T, PA32R-300/301/301T, PA32RT series, PA46-310P/350P, PA34-200/200T/220T

-END OF LISTING-

  
 Jim Reeves  
 Manager, Atlanta Manufacturing  
 Inspection District Office

June 28, 1993