



FUEL & OIL DRAIN VALVE SPECIFICATIONS

PART NO.	VALVE MATERIAL	THREAD SIZE	VALVE ACTION	VALVE INST. LENGTH	LOCK WIRE DRILLED	CERTIFICATION
CCA-1100	Aluminum	1/8 NPT	Push to Open Turn to Lock	.790	No	Non Cert. Aircraft
CCA-1150	Aluminum	1/8 NPT	Push to Open Turn to Lock	.790	No	TSO-C76
CCA-1250	Brass	1/8 NPT	Spiral to Open Turn to Lock	.790	No	TSO-C76
CCA-1300	Brass	1/4 NPT	Spiral to Open Turn to Lock	.965	No	TSO-C76
CCA-1350	Brass	3/8 NPT	Spiral to Open Turn to Lock	1.080	No	TSO-C76
CCA-1400	Brass	1/2 NPT	Spiral to Open Turn to Lock	1.125	Yes	TSO-C76
CCA-1550	Brass	1/8 NPT	Push to Open Turn to Lock	.790	No	TSO-C76
CCA-1600	Brass	1/4 NPT	Push to Open Turn to Lock	.945	No	TSO-C76
CCA-1650	Brass	3/8 NPT	Push to Open Turn to Lock	1.080	No	TSO-C76
CCA-1700	Brass	1/2 NPT	Push to Open Turn to Lock	1.125	Yes	TSO-C76
CCA-1800	Brass	1/8 NPT	Push to Open Non-Locking	.520	No	TSO-C76
CCA-1900	Brass	1/4 NPT	Push to Open Non-Locking	.605	No	TSO-C76
CCA-2000	Brass	3/8 - 24 UNF-3A	Push to Open Non-Locking	.460	Yes	TSO-C76
CCA-2100	Brass	7/16 - 20 UNF-3A	Push to Open Non-Locking	.470	Yes	TSO-C76
CCA-2440	Brass	14MM 1.50	Push to Open Turn to Lock	2.000	Yes	Non Cert. Aircraft
CCA-2450	Brass	12MM 1.75	Spiral to Open Turn to Lock	2.000	Yes	Non Cert. Aircraft
CCA-2460	Brass	1/2-20 UNF-3A	Spiral to Open Turn to Lock	2.000	Yes	Non Cert. Aircraft

PART NO.	VALVE MATERIAL	THREAD SIZE	VALVE ACTION	VALVE INST. LENGTH	LOCK WIRE DRILLED	CERTIFICATION
CCA-2470	Aluminum Brass	12MM 1.75	Adapter Rotax	1.335	Yes	Non Cert. Aircraft
CCA-2475	Aluminum Brass	12MM 1.75	Adapter Assembly Rotax	1.335	Yes	Non Cert. Aircraft
CCA-2480	Aluminum Brass	1/2-20 UNF-3A	Adapter Jabiru	1.335	Yes	Non Cert. Aircraft
CCA-2485	Aluminum Brass	1/2 - 20 UNF-3A	Adapter Assembly Jabiru	1.335	Yes	Non Cert. Aircraft
CCA-2500	Brass	1/8 NPT	Push to Open Use Pin Type Cup	.335	Yes	TSO-C76
CCA-2600	Brass	1/4 NPT	Push to Open Use Pin Type Cup	.370	Yes	TSO-C76
CCA-2700	Brass	3/8 - 24 UNF-3A	Push to Open Use Pin Type Cup	.250	Yes	TSO-C76
CCA-2800	Brass	7/16 - 20 UNF-3A	Push to Open Use Pin Type Cup	.245	Yes	TSO-C76
CCA-2900	Brass	1/2 - 20 UNF-3A	Push to Open Use Pin Type Cup	.192	Yes	TSO-C76
CCA-3400	Brass	1/2 Hose Fitting	Spiral to Open Turn to Lock	.705	No	TSO-C76
CCA-3600	Brass Cad Plate	1/4 NPT	Push to Open Turn to Lock	.965	No	TSO-C76
CCA-4300	Brass Cad Plate	7/16-20 UNF-3A	Spiral to Open Turn to Lock	.625	Yes	TSO-C76
CCB-4320	Brass Cad Plate	7/16-20 UNF-3A	Push to Open Non-Locking	.840	Yes	TSO-C76
CCA-4350	Brass Cad Plate	9/16-18 UNF-3A	Spiral to Open Turn to Lock	.635	Yes	TSO-C76
CCA-4800	Brass Cad Plate	1/4 NPT	Push to Open Turn to Lock	.945	Yes	TSO-C76
CCA-4850	Brass Cad Plate	1/8 NPT	Spiral to Open Turn to Lock	.790	No	TSO-C76
CCA-4900	Brass Cad Plate	1/4 NPT	Spiral to Open Turn to Lock	.945	No	TSO-C76
CCA-4950	Brass Cad Plate	3/8 NPT	Spiral to Open Turn to Lock	1.080	No	TSO-C76
CCA-5800-1	Brass Cad Plate	7/16-20 UNF-3A	Spiral to Open Non Locking	.620	Yes	TSO-C76

PART NO.	VALVE MATERIAL	THREAD SIZE	VALVE ACTION	VALVE INST. LENGTH	LOCK WIRE DRILLED	CERTIFICATION
CCA-5800-3	Brass Cad Plate	7/16-20 UNF-3A	Push to Open Non Locking	.620	Yes	TSO-C76
CCA-7000	Aluminum Anodized	3/8 NPT	Push to Open Turn to Lock	1.080	No	Non Cert. Aircraft
CCA-7450	Brass Cad Plate	1/8 NPT	Spiral to Open Turn to Lock	.790	No	TSO-C76
CCA-7500-2 and -5	Aluminum Anodized	3/4-16 UNF-3A	Spiral Lock Open Screwdriver	Flush Mount .118	No	Mil Spec 1 28208
CCA-7600	Aluminum Anodized	3/4-16	Push to Open Turn to Lock	Flush Mount	No	Non Cert. Aircraft
CCA-36150	Brass Cad Plate	1/8 NPT	Spiral to Open	.790	No	TSO-C76
CCB-36350-1	Aluminum Anodized	3/4-16 UNF-3A	Spiral to Open Non Locking	Flush Mount .125	No	Mil Spec 28208
CCB-36450 CCB-36450-5	Aluminum Alodine	3/4-16 UNF-3A	Push to Open Turn to Lock	Flush Mount .118	No	Non Cert. -5 TSO-C76
CCB-36700	Brass Cad Plate	1/8 NPT	Push to Open	.790	No	TSO-C76
CCB-36750	Stainless Steel	1/8 NPT	Spiral to Open Turn to Lock	.725	Yes	TSO-C76
CCB-37000	Brass	1/2 NPT	Push to Open Turn to Lock	1.990	Yes	TSO-C76 FAA-PMA
CCB-37500	Aluminum Nylon	3/4-16	Push to Open Turn to Lock	Flush Mount	No	TSO-C76
CCB-38000 Low Profile	Aluminum Anodized	1/2 NPT	Use CCA-38001 Activator	.765	Yes	FAA-PMA Pending
CCA-39000	Stainless Steel	1/4 NPT	Spiral to Open Turn to Lock	.925	No	TSO-C76
CCA-39500	Aluminum Red	9/16-18	Push to Open	.628	No	TSO-C76
CCA-39550	Brass	5/8-18 UNF-3A	Spiral to Open Turn to Lock	1.054	Yes	TSO-C76
CCA-39560	Brass	5/8-18 UNF-3A	Spiral to Open Turn to Lock	2.005	Yes	FAA-PMA Pending