

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

- Consult a physician if necessary.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If symptoms persist, call a physician.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
- If swallowed : Rinse mouth. Call a physician or poison control center immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Prolonged skin contact may defat the skin and produce dermatitis. Contact with hot product will cause thermal burns. Inhalation of thermal decomposition products may lead to adverse effects including pulmonary edema.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO₂)
Oxides of phosphorus
- Specific extinguishing methods : In case of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers. Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for fire-fighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ventilate the area. Material can create slippery conditions. Use personal protective equipment. Local authorities should be advised if significant spillages cannot be contained.

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Do not get in eyes.
Do not get on skin or clothing.
Wash thoroughly after handling.
Do not breathe vapors or spray mist.
Use only in area provided with appropriate exhaust ventilation.
Drain or remove substance from equipment prior to break-in or maintenance.
Wear appropriate personal protective equipment.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.
Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.
Protective equipment only chosen according to specific regulatory requirements after a risk assessment.
Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Recommended gloves:

Material : Nitrile rubber

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

Remarks	:	Wear suitable gloves. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.
Eye protection	:	Wear safety glasses with side shields (or goggles).
Protective measures	:	Ensure that eye flushing systems and safety showers are located close to the working place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	amber
Odor	:	No data available
Melting point/freezing point	:	-54 °C
Flash point	:	246 °C
		Method: Cleveland open cup
Relative density	:	0.98 (15.6 °C)
Density	:	980 kg/m ³ (15.6 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity		
Viscosity, kinematic	:	23 - 30 mm ² /s (40 °C)
		4.9 - 5.4 mm ² /s (100 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	None known.
Conditions to avoid	:	Keep away from sources of ignition - No smoking.
Incompatible materials	:	Strong oxidizing agents

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

Hazardous decomposition products : Emits acrid smoke and fumes when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: Not classified

Acute inhalation toxicity : Acute toxicity estimate: Exposure time: 4 h
Assessment: Not classified
Remarks: Read-across from a similar material

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Exposure time : 24 h
Assessment : Not classified as hazardous.
Result : slight

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No eye irritation
Assessment : Not classified

Respiratory or skin sensitization**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Skin sensitization
Method : Human Repeat Insult Patch Test
Result : Not a skin sensitizer.

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Mutagenicity

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

Metabolic activation: Read-across from a similar material
Result: Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Test Type: Mutagenicity
Result: Based on available data, the classification criteria are not met.
Remarks: Read-across from a similar material

Carcinogenicity

Not classified based on available information.

Product:

Species : Mouse
Application Route : Dermal
Remarks : negative

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Product:

Remarks : No data available

STOT - repeated exposure

Not classified based on available information.

Product:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

Routes of exposure**Product:**

Inhalation : Remarks: None known.

Skin contact : Remarks: Prolonged skin contact may defat the skin and produce dermatitis.

Eye contact : Remarks: Contact with the eyes may be very painful but does not cause damage.

Ingestion : Remarks: None known.

Eastman(TM) Turbo Oil 2380

Version 3.4 PRD Revision Date: 25.01.2021 SDS Number: 150000097793 Date of last issue: 29.07.2016
SDSAU / EN / 0001 Date of first issue: 31.05.2014

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

- Toxicity to fish : LC50 (Fish):
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)
- Toxicity to daphnia and other aquatic invertebrates : NOEC:
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.

Remarks: (limit of solubility in fresh water)
- Toxicity to algae/aquatic plants : NOEC:
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)
- Toxicity to fish (Chronic toxicity) : NOEC (Fish):
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.

Remarks: (limit of solubility in fresh water)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC:
Test substance: Read-across from a similar material
Remarks: Not classified as hazardous.
(limit of solubility in fresh water)

Persistence and degradability**Product:**

- Biodegradability : Biodegradation: 92.36 %
Exposure time: 28 d
Remarks: Readily biodegradable

Bioaccumulative potential**Product:**

- Bioaccumulation : Remarks: Mixture
Not applicable

Mobility in soil

No data available

Other adverse effects

No data available

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations. It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Collect in plastic or metal containers for disposal. Where possible recycling is preferred to disposal or incineration. Do not dispose of waste into sewer. Since emptied containers retain product residue, follow label warnings even after container is emptied. In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ADG**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 5

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
AIC : On the inventory, or in compliance with the inventory

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

DSL	:	All components of this product are on the Canadian DSL
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory

SECTION 16. OTHER INFORMATION

Revision Date	:	25.01.2021
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Eastman(TM) Turbo Oil 2380

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2016
3.4	25.01.2021	150000097793	Date of first issue: 31.05.2014
PRD		SDSAU / EN / 0001	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN