

ACF-50 Bulk Safety Data Sheet

According to WHMIS 2015 /GHS Revision date / version: April 28, 2021 / 0007 Replacing version dated / version: January 1, 2020 / 0006

SECTION I - IDENTIFICATION

Product Name: ACF-50® Bulk Liquid Product Code: 10001, 10004, 10020, 10032, 10114, 10205

Use of Substance/Preparation: ACF-50® is an industrial product designed to prevent and treat corrosion on non-ferrous and ferrous metals, protect electronic equipment, and to lubricate/penetrate mechanized parts. Uses advised against: None unless specified elsewhere

Manufacturer:	Lear Chemical Research Corp. 6182A Kestrel Road Mississauga, ON Canada L5T 1Z2
Telephone: Email:	905 564-0018 905-564-7077 (fax) info@learchem.com www.learchem.com
Emergency Telephone:	1 800 535-5053 (Canada & US)

SECTION 2 – HAZARDS IDENTIFICATION

General hazard statement

Read Label and Use as Directed May cause slight eye redness (Mixture Tested < Cat2B) May cause skin dryness (Mixture Tested < Cat3) May cause laxative effect if swallowed. Do not induce vomiting. Using as directed Not Expected to be Aspiration Hazard (>24mm²/s @40°C)

1 352 323-3500 (International)

Classification of the Mixture:

GHS classification:	Category 4, Flammable liquid			
Signal Word:	WARNING			
Labels: None required				
Hazard statement(s)				
H227	Flammable liquid			
Precautionary statement(s)				
P280	Wash thoroughly after handling. Manufacturer specifies No special PPE.			
P331	Do NOT induce vomiting.			
P370+P378	In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.			
P403+P235	Store in a well-ventilated place. Keep cool.			
P501	Dispose of contents/container in accordance with local, regional, national, and/or international regulations			
Other hazards which do no	t result in classification			
None known.				
Statement regarding ingred No data available.	lients of unknown toxicity			



ACF-50 Bulk Safety Data Sheet

According to WHMIS 2015 /GHS Revision date / version: April 28, 2021 / 0007 Replacing version dated / version: January 1, 2020 / 0006

Hazardous substances present				
Substances present at a concer	ntration below the minimum	danger threshold:		
NAME:	CAS	EC	Concentration	Special Notes
			% (weight)	
Hydrotreated neutral oil	72623-85-9	276-736-3	% (weight) 70-85%	<0.1% DMSO w/w extract

SECTION 4 - FIRST AID MEASURES				
Description of necessary first-aid measures				
General advice	Show this safety data sheet to the doctor in attendance.			
If inhaled	Move to fresh air. If unconscious consult with physician.			
In case of skin contact	Wash off with soap and plenty of water.			
In case of eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present. Continue rinsing. May cause eye irritation. Including redness, swelling, tearing, or temporary hazy vision.			
If swallowed				
Personal protective equi	oment for first-aid responders			
	Not required.			
Most important symptom	Most important symptoms/effects, acute and delayed			
	See Section 2 and Section 11.			
Indication of immediate r	nedical attention and special treatment needed, if necessary			
	Ingestion of large quantities or accidental aspiration.			

SECTION 5 - FIRE AND EXPLOSION HAZARD DATA

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from the chemical

None known.

Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. For PPE see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

LO CO LEAR CHEMICAL RESEARCH CORPORATION

ACF-50 Bulk Safety Data Sheet

According to WHMIS 2015 /GHS Revision date / version: April 28, 2021 / 0007 Replacing version dated / version: January 1, 2020 / 0006

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel). Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling

Use personal protective equipment as required. Keep container closed when not in use. Never return spills in original containers for re-use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Store in a well ventilated place. Keep container tightly closed. Store between the following temperatures: 40 and 120 Fahrenheit, away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION: Control parameters

CAS: 8052-41-3

Stoddard Solvent

CAS: 72623-85-9 (EC: 276-736-3)

Lubricating oils (petroleum), C20 -50, hydrotreated neutral oil-based, high-viscosity, if they contain > 3 % w/w DMSO extract

Engineering controls

No special ventilation requirements. Adequate ventilation to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Distribution, Workplace and Household/Retail Settings: No special protective equipment required.

Skin protection

Distribution, Workplace and Household/Retail Settings: No special protective equipment required.

Respiratory protection

Distribution, Workplace and Household Settings: No special protective equipment required.



According to WHMIS 2015 /GHS Revision date / version: April 28, 2021 / 0007 Replacing version dated / version: January 1, 2020 / 0006

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical pro	•
Appearance/form (physical state, color, etc.)	Liquid
Odor	Characte
Odor threshold	No data
pH	7
Melting point/freezing point	No data
Initial boiling point and boiling range	212°F /
Flash point	175°F / 1
Evaporation rate	Slower (
Flammability (solid, gas)	No data
Upper/lower flammability limits	UEL: 6.0
Upper/lower explosive limits	No data
Vapor pressure	No data
Vapor density	Heavier
Relative density	No data
Solubility(ies)	soluble i
Partition coefficient: n-octanol/water	No data
Auto-ignition temperature	410°F/2
Decomposition temperature	No data
Viscosity	25 cSt @
Explosive properties	No data
Oxidizing properties	No data
Other safety information	No data
=	

Characteristic No data available. No data available. 212°F / 100°C 175°F / 79.4°C Slower (butyl acetate=1) No data available. JEL: 6.0 LEL: 1.0 No data available. No data available. Heavier than air (air=1) No data available. soluble in naphtha No data available. 410°F / 210°C No data available. 25 cSt @ 40°C No data available. No data available. No data available.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions	None under normal use conditions.	
Conditions to avoid	None under normal use conditions.	
Incompatible materials	Do not store near acids, Strong oxidizing agents	
Hazardous decomposition products	May release COx, NOx, SOx, H2S, smoke and irritating vapors when heated to point of	
	decomposition. In the event of fire: see section 5.	

SECTION 11 - TOXICOLOGICAL INFORMATION

ACF-50 LIQUID HAS BEEN FULLY TESTED AS A COMPLETE MIXTURE FOR ORAL, EYE AND DERMAL TOXICITY. SUPPORTING DATA BASED ON THOSE EVALUATIONS. ACUTE TOXICITY IS AT OR ABOVE CATEGORY 4.

Primary Routes of entry: Acute Oral: Acute Dermal:	LD50 > 5000 mg/kg LD50 > 5000 mg/kg	Acute Eye: Acute Vapor (estimated)	LC50 > 5000 mg/kg LC50 > 5000 ppm -Rat-Aliphatic hydrocarbon LC50 > 5000 ppm -Rat-Petroleum distillate	
Information on toxicologi	cal effects			
Acute toxicity		Poses no Acute toxicity hazards.		
Skin corrosion/irritation		None found.		
Serious eye damage/irrita	tion	Slight eye irritation (reversible)		
Respiratory or skin sensit	tization	None found.		
Germ cell mutagenicity		Based on available data, classification not met		

ACF-50 Bulk Liquid WHMIS 2015 English V 0007



ACF-50 Bulk Safety Data Sheet According to WHMIS 2015 /GHS Revision date / version: April 28, 2021 / 0007 Replacing version dated / version: January 1, 2020 / 0006

Carcinogenicity				
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by				
IARC.				
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by				
ACGIH.				
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by				
NTP.				
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by				
OSHA.				
Reproductive toxicity	No data available			
Summary of evaluation of the CMR properties	No data available.			
STOT-single exposure	Insignificant effects documented that do not justify STOT Classification.			
STOT-repeated exposure	Insignificant effects documented that do not justify STOT Classification.			
Aspiration hazard	Not Expected to be Aspiration Hazard (>24mm2/s @40°C)			
Additional information	None			

SECTION 12- ECOLOGICAL INFORMATION			
Toxicity	No data available.		
Persistence and degradability	Petroleum components are biodegradable in marine and soil environments.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Results of PBT and vPvB assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.		
Other adverse effects	No data available.		

SECTION 13 - DISPOSAL CONSIDERATIONS			
Disposal of the product	Dispose of contents/ container in accordance with the local/regional/national/international regulations. Do not landfill.		
Waste treatment	Recycle only completely emptied packaging. Empty HDPE/LDPE/Aluminum containers can be recycled.		
Sewage disposal	Treat as used oil.		
Other disposal recommendations	No data available.		
SECTION 14 - TRANSPORT INFO	DRMATION		
DOT (US)	Not regulated / Not dangerous goods		
IMDG	Not regulated / Not dangerous goods		
IATA	Not regulated / Not dangerous goods		

ACF-50 Bulk Liquid WHMIS 2015 English V 0007



ACF-50 Bulk Safety Data Sheet

According to WHMIS 2015 /GHS Revision date / version: April 28, 2021 / 0007 Replacing version dated / version: January 1, 2020 / 0006

SECTION 15 - REGULATORY INFORMATION This preparation was classified in compliance with GHS Directives and is not known to be classified on any EC lists or other source literature.			
WHMIS U.S. Federal Regulations: TSCA Inventory (USA) DSL (Canada) SARA 302/355 Extreme Haz CERCLA: SARA 313 Toxic Chemical: SARA 311/312 Hazardous: Prop 65 ELINCS (Europe) ENCS (Japan) AICS (Australia)	Report	gulated ed/Included ed /Included	
NFPA STD.704 NFPA STD.321:	Health -1 Combustible Liqu	Flammability-2 iid, Class III 3A	Reactivity-0
HMIS	Health -1	Flammability-2	Reactivity-0

SECTION 16 – OTHER INFORMATION

V0007 – April 28, 2021 – Revisions Section 2: Remove P210, Add P280, P235+P403 Section 4, 5, 8 & 12: information updated Section 11: Toxicological Information clarified

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Lear Chemical Research Corporation be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Lear Chemical Research Corporation has been advised of the possibility of such damages.