

Concorde Battery Corporation 2009 San Bernardino Road West Covina, CA 91790 USA Phone 626-813-1234 | Fax 626-813-1235 www.concordebattery.com

## TURBINE AIRCRAFT BATTERY

|   | Maximum Weight    |
|---|-------------------|
| RG-380E/44KH                              | 89.0 LB / 40.4 KG |
| Fire Resistant Aluminum Container with    |                   |
| Vent Louvers & Heater Control Unit Mount  |                   |
| RG-380E/44KSH                             | 91.0 LB / 41.3 KG |
| Fire Proof Stainless Steel Container with |                   |
| Vent Louvers & Heater Control Unit Mount  |                   |
| RG-380E/44LH                              | 89.0 LB / 40.4 KG |
| Fire Resistant Aluminum Container,        |                   |
| Vent Tubes & Heater Control Unit Mount    |                   |
| RG-380E/44LSH                             | 91.0 LB / 41.3 KG |
| Fire Proof Stainless Steel Container,     |                   |
| Vent Tubes & Heater Control Unit Mount    |                   |
| Voltage                                   | 24 Volts          |
| Rated Capacity C.                         | 42 AH             |

### IEC Rated for Peak Power (IPP) & 15 Second Power Rating (IPR)

| IPP      | IPR                               | IPP   | IPR                | IPP   | IPR   |
|----------|-----------------------------------|-------|--------------------|-------|-------|
| At 23° C | At 23° C (74° F) At -18° C (0° F) |       | At -30° C (-22° F) |       |       |
| 1350 A   | 1000 A                            | 875 A | 750 A              | 750 A | 600 A |

Rated in accordance with International Standard 60952-1

Features: Internal AC Heater – 115 VAC Internal DC Heater – 28.25 VDC

ISO 9001 + AS9100

The data/information contained herein has been reviewed & approved for general release on the basis that this document contains no export controlled information.



# **HEATED** | **TSO** AUTHORIZED

Concorde's superior Platinum Series® batteries have been proven reliable, durable and safe in turbine aircraft applications for more than two decades. Concorde's valve regulated sealed recombinant gas (RG®) Turbine Starting aircraft batteries are constructed with advanced lead acid, absorbed glass mat (AGM) technology.


- Dual Purpose Emergency or main starting
- Emergency Power Reliable essential power in the event of a generator failure
- Factory Tested Assures airworthiness & installation readiness
- Low impedance design Unique design features reduce internal resistance
- Maintenance Free No water replenishment is required – ever
- Proprietary PolyGuard® Separators Added protection against shock & vibration
- Proven Technology Dependable, durable and safe
- Quick Disconnect MS3509 conforming receptacle
- Safe No threat of thermal runaway & no deep cycling
- Starting Power Superior starting power in hot & cold climates
- Transport Ship Hazmat Exempt whether by land, sea or air
- TSO Approved FAA TSO-C173 approved
- Worldwide Available through a professional network of worldwide distributors

Concorde designs and manufactures over 90 models of Original Equipment and direct replacement batteries for fixed wing and rotary aircraft and has a reputation for designing application specific solutions. Concorde batteries are installed as Original Equipment by the majority of aircraft manufacturers and adopted by military aircraft operators worldwide.

Manufacturing certified aircraft batteries for over 40 years: Military, TSO, FAA-PMA, OEM

RG-380E/44KH, RG-380E/44KSH, RG-380E/44LH & RG-380E/44LSH

#### RG-380E/44KH & RG-380E/44KSH



#### RG-380E/44LH & RG-380E/44LSH

